



**उत्पाद मैनुअल
पैराफॉर्मल्डिहाइड
IS 5271:1984 के अनुसार**

**PRODUCT MANUAL FOR
Paraformaldehyde
According to IS 5271:1984**

विभिन्न उत्पादों के लिए भारतीय मानक ब्यूरो (अनुरूपता मूल्यांकन) विनियम, 2018 की योजना के तहत प्रमाणन के संचालन में एकरूपता और पारदर्शिता के लिए इस उत्पाद मैनुअल का उपयोग सभी क्षेत्रीय/शाखा कार्यालयों और लाइसेंसधारियों द्वारा संदर्भ सामग्री के रूप में किया जाएगा। इस दस्तावेज़ के उपयोग बीआईएस प्रमाणन प्राप्त करने के इच्छुक संभावित आवेदकों द्वारा भी किया जा सकता है।

This Product Manual shall be used as reference material by all Regional/Branch Offices & licensees to ensure uniformity of practice and transparency in operation of certification under Scheme-I of Bureau of Indian Standards (Conformity Assessment) Regulations, 2018 for various products. The document may also be used by prospective applicants desirous of obtaining BIS certification.

1.	मानक संख्या IS No.	:	IS 5271:1984
	शीर्षक Title	:	Paraformaldehyde
	संशोधनों की संख्या No. of amendments	:	-Nil--
2.	नमूना दिशा निर्देश Sampling Guidelines		Not Applicable
a)	कच्चा माल Raw material	:	Not Applicable
b)	समूहीकरण दिशानिर्देश Grouping Guidelines	:	Not Applicable
c)	नमूने का परिमाण Sample Size	:	1 kg
3.	परीक्षण उपकरणों की सूची List of Test Equipment	:	Please refer Annexure - A
4.	निरीक्षण व परीक्षण स्कीम Scheme of Inspection and Testing	:	Please refer Annexure - B
5.	एक दिन में संभावित परीक्षण Possible tests in a day	:	All Tests except, moisture content (under vacuum)

6.	लाइसेन्स का कार्यक्षेत्र Scope of the Licence :	
	IS 5271:1984 के अनुसार मानक मुहर का उपयोग करने के लिए लाइसेन्स निम्नलिखित कार्यक्षेत्रके लिए प्रदान किया जाता है Licence is granted to use Standard Mark as per IS 5271:1984 with the following scope:	
	Name of the product	Paraformaldehyde

BUREAU OF INDIAN STANDARDS
Manak Bhawan, 9, Bahadur Shah Zafar Marg,
New Delhi – 110002

ANNEXURE A

LIST OF TEST EQUIPMENT

(INDICATIVE LIST, FOR GUIDANCE ONLY)

Sl No.	Test Used in with Clause Reference	Test equipment/Chemicals
1	Particle Size, Clause 2.2	1. Sieves- 90 micron, 125 micron, 600 micron
2	Identification Test, Clause 2.3, and Table 1, Sl.No.i)	1. Weighing Balance 2. Sulphuric Acid 3. Salicylic Acid
3	Aldehyde Content, Clause 2.3, and Table 1, Sl.No.ii)	1. Thymolphthalein Indicator 2. Sodium Hydroxide 3. Sodium Sulphite 4. Hydrochloric acid, 5. Conical flask 6. Burette
4	Ash, Clause 2.3, and Table 1, Sl.No.iii)	1. Furnace 2. Silica Basin 3. Weighing Balance 4. Desiccator
5	Heavy Metals, Clause 2.3, and Table 1, Sl.No.iv)	1. Furnace 2. Silica Basin 3. Desiccator 4. Weighing Balance 5. Nessler Cylinder 6. Ammonium Hydroxide 7. Hydrochloric Acid 8. p-Nitrophenol Indicator 9. Hydrogen Sulphide Solution 10. Standard Lead Solution
6	Iron Content, Clause 2.3, and Table 1, Sl.No.v)	Method A (Spectrophotometric or electro photometric Method) 1. One mark graduated flasks 2. Spectrophotometer or electro photometer 3. Pipettes 4. Beakers-400 ml capacity 5. Sulphuric Acid 6. Hydrogen Peroxide 7. Hydroxy-ammonium Chloride 8. Ammonium Acetate 9. Bipyridyl Solution 10. Standard Iron Solution Method B (Visual Method) 1. Nessler Cylinders 2. Hydroxy-ammonium Chloride 3. Ammonium Acetate 4. 2,2'bipyridyl Solution 5. Burette

7	Matter Insoluble in water, Clause 2.3, and Table 1, Sl.No.vi)	1. Round Bottom Flask 2. Oven 3. Weighing Balance 4. Hot plate 5. Sodium Hydroxide
8	Moisture Content, Clause 2.3, and Table 1, Sl.No.vii)	1. Vacuum Desiccator 2. Flat Bottom Dish of glass or aluminium 3. Vacuum Pump 4. Desiccant 5. Weighing Balance
9	Water Soluble chloride, Clause 2.3, and Table 1, Sl.No.viii)	1. Nitric Acid 2. Standard Silver Nitrate 3. Standard Potassium Sulphocyanide 4. Ferric Alum Indicator 5. Whatmann filter paper No. 40
10	Water Soluble Sulphates, Clause 2.3, and Table 1, Sl.No.ix)	1. Silica Gooch Crucible 2. Muffle Furnace 3. Desiccator 4. Hydrochloric Acid 5. Barium Chloride 6. Whatman Filter Paper No.40
11.a	Acidity, Clause 2.3, and Table 1, Sl.No.x)	1. Burette 2. Conical flask 3. Sodium Hydroxide 4. Standard Hydrochloric Acid 5. Bromothymol Blue Indicator
11.b	OR Alkalinity, Clause 2.3, and Table 1, Sl.No.x)	1. Sive-125 micron 2. Filter Paper 3. pH meter

ANNEXURE B
SCHEME OF INSPECTION AND TESTING

1. QUALITY ASSURANCE PLAN

1.1 It is expected that manufacturers (licensees/applicants) will implement a Quality Assurance Plan i.e. a plan of regular testing and in-process controls, designed to ensure that the product bearing the Standard Mark conforms to all requirements of the Indian Standard.

1.2 The manufacturers shall define a Quality Assurance Plan defining the control unit (i.e. lot/batch etc.) and the levels of control (i.e. the frequency and number of samples for conducting the different tests as per the Indian Standard) and submit the same to BIS Branch Office for information. The manufacturer shall comply with the same and maintain test records in accordance with para 2.4.

1.3 RECOMMENDED LEVELS OF CONTROL/CONTROL UNIT:

1.3.1 For the guidance of manufacturers, the recommended definition of control unit is: A single batch of paraformaldehyde produced from same raw materials and under similar conditions of production.

1.3.2 For the guidance of manufacturers in preparing the Quality Assurance Plan, recommended levels of control are given in **Table 1**.

1.3.3 The manufacturer shall ensure inspection and testing as per the Quality Assurance Plan submitted by them on the whole production of the factory which is covered by this plan. Alternatively, the manufacturer has the option of adherence to the quality plan as per levels of control recommended in column 3 of Table 1.

1.4 However, all manufacturers shall ensure compliance of their products to all the requirements of the Indian Standard.

2. ENSURING COMPLIANCE THROUGH TESTING- It is expected that manufacturers (licensees/applicants) will establish a suitably equipped and staffed in house laboratory (In house testing facility) for testing at least those parameters of the Indian Standard which require routine testing for ensuring quality of the product. This includes in-process controls as may be defined and put in place by the manufacturer and testing parameters/requirements which can only be performed in the factory.

2.1 For the guidance of manufacturers, Table 1 giving the recommended levels of control is given below. Column 2 of Table 1 indicates routine tests where test equipment is required in house as "R" or other tests which can be subcontracted as "S". Subcontracting is permitted to BIS recognized/empanelled laboratory or any other laboratory having valid NABL accreditation as per IS/ISO/IEC 17025.

2.2 For MSME manufacturers, the requirement of maintaining a laboratory/in-house testing facility for routine tests (indicated as "R" in Column 2 of Table 1) is also optional.

2.2.1 MSME manufacturers may utilize common cluster based facilities as per guidelines for the utilization of cluster based test facilities by MSMEs or the provisions of Sharing of testing facilities or get testing done from BIS recognized/empanelled laboratory or any other laboratory having valid NABL accreditation as per IS/ISO/IEC 17025.

2.3 Large Scale manufacturers shall maintain an in-house laboratory equipped at least with test facilities for routine tests (indicated as "R" in Column 2 of Table 1), where different tests given in the specification shall be carried out in accordance with the method given in the specification. They shall also implement a calibration plan for the in-house test equipment.

2.3.1 Alternatively, in lieu of an in-house laboratory, large scale manufacturers can also utilize the provisions of Sharing of testing facilities as per the Guidelines for Grant of Licence available on BIS website www.bis.gov.in. (Under Conformity Assessment>Product Certification Process). Even for subcontracted tests, provisions for sharing of testing facilities can be utilized.

2.4 TEST RECORDS- The manufacturers maintaining an in-house laboratory or utilizing common cluster based facilities or shared test facilities shall maintain test records for the tests carried out to establish conformity. For the tests being subcontracted to BIS recognized/empanelled laboratory or any other laboratory having valid NABL accreditation as per IS/ISO/IEC 17025, test reports issued by the laboratories shall be available for inspection by BIS.

3. PACKING AND MARKING - The Standard Mark as given in the Schedule of the licence shall be incorporated legibly and indelibly on each packaging provided always that the material so marked conforms to each requirement of the specification.

3.1 Packing and Marking shall be done as per the Indian Standard.

3.2 Additional Marking requirements: The material shall also be marked with the following additional requirement on each packaging:

a) "For BIS certification details please visit www.bis.gov.in"

4. REJECTION - All the production which conforms to the Indian Standard and covered under the scope of this licence shall be marked with the Standard Mark. Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act,2016.

TABLE 1: LEVELS OF CONTROL (For Guidance Purpose Only)

TEST DETAILS				Test equipment requirement R: required (or) S: Subcontracting permitted	LEVELS OF CONTROL		REMARKS
Clause	Requirements	Test Method			No. of Samples	Frequency	
		Clause	Reference				
2.1	Description		IS 5271:1984	R	Firm to have adequate in-process controls to check compliance of this parameter as given in the Indian Standard. However, appropriate records shall be maintained by the manufacturer for evidence of conformity		
2.2	Particle Size	-	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Identification Test	A-1	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Aldehyde Content	A-2	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Ash	A-3	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Heavy Metals	A-4	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Iron Content	A-5	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Matter Insoluble in water	A-6	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Moisture Content	A-7	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Water Soluble chloride	A-8	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Water Soluble Sulphates	A-9	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Acidity	A-10	IS 5271:1984	R	One	Each Control Unit	-----
2.3	Alkalinity	A-11	IS 5271:1984	R	One	Each Control Unit	-----