



उत्पाद मैनुअल
आई एस 8148: 2018 के अनुसार
दक्टेड और पैकेज एयर कंडीशनर के लिए

दस्तावेज संख्या-पी एम/आई एस 8148/6/ मई 2026

भारतीय मानक ब्यूरो की स्कीम-I (अनुरूपता मूल्यांकन) विनियम, 2018 के तहत यह उत्पाद मैनुअल प्रमाणीकरण के प्रचालन में रीति और पारिश्रिता की सुसंगतता सुनिश्चित करने के लिए सभी क्षेत्रीय/शाखा कार्यालयों और लाइसेंसी द्वारा संदर्भ सामग्री के रूप में उपयोग किया जाएगा। बीआईएस प्रमाणीकरण लाइसेंस/प्रमाणपत्र प्राप्त करने के इच्छुक भावी आवेदकों द्वारा भी इस दस्तावेज का उपयोग किया जा सकता है।

**PRODUCT MANUAL FOR
DUCTED AND PACKAGE AIR- CONDITIONERS
ACCORDING to IS 8148:2018**

Document No.-PM/IS 8148/6/ May 2026

This Product Manual shall be used as reference material by all Regional/Branch Offices & licensees to ensure coherence of practice and transparency in operation of certification under Scheme-I of Bureau of Indian Standards (Conformity Assessment) Regulations, 2018 for various products. The document may also be used by prospective applicants desirous of obtaining BIS certification licence/certificate.

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक भवन, ९, बहादुर शाह ज़फ़र मार्ग
Manak Bhawan, 9, Bahadur Shah Zafar Marg
नई दिल्ली- ११०००२
New Delhi – 110002



PRODUCT MANUAL FOR DUCTED AND PACKAGE AIR- CONDITIONERS ACCORDING TO IS 8148: 2018

This Product Manual shall be used as reference material by all Regional/Branch Offices & licensees to ensure coherence of practice and transparency in operation of certification under Scheme-I of Bureau of Indian Standards (Conformity Assessment) Regulations, 2018 for various products. The document may also be used by prospective applicants desirous of obtaining BIS certification license/certificate.

1.	Product	:	IS 8148: 2018
	Title	:	Ducted and Package Air Conditioners
	No. of Amendments	:	Two
2.	Sampling Guidelines:		
a)	Raw material	:	As per Cl. 4
b)	Grouping guidelines	:	Please refer ANNEX – A
c)	Sample Size	:	Please refer ANNEX – B
3.	List of Test Equipment	:	Please refer ANNEX – C
4.	Scheme of Inspection and Testing	:	Please refer ANNEX – D
5.	Possible tests in a day	:	Please refer ANNEX – E
6.	Scope of the Licence	:	Please refer ANNEX – F
7.	Any other product specific guidelines	:	Please refer ANNEX – G

BUREAU OF INDIAN STANDARDS
Manak Bhawan, 9, Bahadur Shah Zafar Marg,
New Delhi – 110002

ANNEX--A

GROUPING GUIDELINES

1. The following parameters are taken into consideration for evolving the grouping guidelines for certification as per IS 8148: 2018:
 - a) Classifications based upon function and construction:**
 - (i) Ducted/Packaged heat pump units for both Cooling and Heating with Air-cooled condenser
 - (ii) Ducted/Packaged Air Conditioner units for Cooling only with Air-cooled condenser
 - (iii) Ducted/package Air Conditioner units for cooling only with water-cooled condenser
 - b) Classifications based upon type of product:**
 - (i) Indoor unit (IDU) only
 - (ii) Outdoor unit (ODU) only
 - (iii) Ducted/Package Air Conditioners (Both IDU and ODU)
2. Further, the maximum cooling capacity is not limited by the Standard.
3. Considering the above, separate sample of units with air cooled condenser and water-cooled condenser will required to be tested. However, if heat pump units with air-cooled condenser for both cooling and heating are tested then units with air-cooled condenser for cooling only may also be covered. Further, sample of units of maximum cooling capacity will be tested for covering the entire range of air-conditioners. The test protocol shall be as given below depending upon the type of manufacturer:
 - ***Manufacturer of IDU only - Sample of IDU for Production Routine Tests only.***
 - ***Manufacturer of ODU only - Sample of ODU for Production Routine Tests only.***
 - ***Manufacturer of Ducted/Package AC – Sample of Ducted/Package AC for complete testing.***
4. Samples of either of Ducted or of Package units will be tested to cover both Ducted and Package units as they vary mainly in installation method only.
5. The manufacturer shall declare the type of product, function and construction and cooling capacities they intend to cover in the Licence. The Scope of Licence may be restricted based on the Manufacturing and Testing capabilities of the Manufacturer.
6. During the operation of Licence, it shall be ensured that all the varieties covered in the Licence are tested in rotation, to the extent possible.
7. A typical example for drawal of sample to cover the entire varieties under the scope of the License is given for the purpose of general guidance:

(a) Manufacturer of IDU only

Sample 1	Indoor Unit for both Cooling and Heating with Air-cooled condenser - Corresponding to ODU of Maximum Rated Cooling Capacity (in Watts)
Sample 2	Indoor Unit for cooling only with water cooled condenser Corresponding to ODU of Maximum Rated Cooling Capacity (in Watts)

(b) Manufacturer of ODU only

Sample 1	Outdoor Unit for both Cooling and Heating with Air-cooled condenser, Maximum Rated Cooling Capacity (in Watts)
Sample 2	Outdoor Unit for cooling only with water cooled condenser, Maximum Rated Cooling Capacity (in Watts)

(c) Manufacturer of Ducted/ Package AC

Sample 1	Ducted/ Package Heat pump units for both Cooling and Heating with Air-cooled condenser, Maximum Rated Cooling Capacity (in Watts)
Sample 2	Ducted/Packaged Air-conditioner units for cooling only with water cooled condenser, Maximum Rated Cooling Capacity (in Watts)

ANNEX--B**SAMPLE SIZE**

Type of Manufacturer	Sample details
Manufacturer of IDU only	* One Indoor Unit along with dummy Outdoor Unit
Manufacturer of ODU only	* One Outdoor Unit along with dummy Indoor Unit
Manufacturer of Ducted/ Package AC	One Ducted/Package Air Conditioner

*** For considering Grant of Licence/ Change in Scope of Licence of “IDU only” / “ODU only”, complete Factory Testing w.r.t verification of Constructional Requirements and Production Routine Tests as per Table 1A / Table 1B, as applicable, shall be carried out. No separate sample shall be drawn for Independent Testing and Licence is to be operated on Factory Testing basis.**

ANNEX-C**List of Test Equipment*****Major test equipment required to test as per the Indian Standard******(a) IDU only***

Sr No	Tests used in with clause reference	Test equipment
1.	Corrosion resistance test , Cl. 4	Salt spray chamber
2.	Running Test. Cl 12.2.1	Run test facility
3.	Pressure test or Leakage Test, Cl. 12.2.2	Pressure test set up, Pressure gauge
4.	Electric Strength Test, Cl. 12.2.4	Voltage Source, High Voltage tester, Ammeter
5.	Earth Continuity Test, Cl. 12.2.6	Voltage Source, Milli-ohmmeter

(b) ODU only

Sr No	Tests used in with clause reference	Test equipment
1.	Corrosion resistance test , Cl. 4	Salt spray chamber
2.	Running Test. Cl 12.2.1	Run test facility
3.	Pressure test or Leakage Test, Cl. 12.2.2	Pressure test set up, Pressure gauge
4.	Electric Strength Test, Cl. 12.2.4	Voltage Source, High Voltage tester, Ammeter
5.	Earth Continuity Test, Cl. 12.2.6	Voltage Source, Milli-ohmmeter

(c) Ducted/Package AC

Sr No	Tests used in with clause reference	Test equipment
1.	Corrosion resistance test , Cl. 4	Salt spray chamber
2.	Pressure test, Cl. 12.2.2	Pressure gauge
3.	Electric Strength Test, Cl. 12.2.4	Voltage Source, High Voltage tester, Ammeter
4.	Earth Continuity Test, Cl. 12.2.6	Voltage Source, Milli-ohmmeter
5.	Capacity rating test, Cl. 8.1 and Heating Capacity test , Cl. 9.1	Apparatus as per either Annex D or Annex E
6.	Maximum Cooling Conditions test, Cl. 8.3	Test bench as per Cl. 8.3
7.	Freeze up test Cl. 8.4	Test bench as per Cl. 8.4
8.	Drip test, Cl. 8.5	Test bench as per Cl. 8.5
9.	Enclosure sweat test, Cl. 8.6	Test bench as per Cl. 10.6
10.	Condensate disposal test, Cl. 8.7	Test bench as per Cl. 8.7
11.	Power consumption test, Cl. 8.8	Power meter
12.	Maximum Heating Performance test, Cl. 9.2	Test bench as per Cl. 9.2
13.	Automatic Defrost Performance test, Cl. 9.3	Test bench as per Cl. 9.3
14.	Sound test, Cl. 11	Noise measuring room as per Fig.7, Noise measuring instrument as per Cl. 11.4
15.	Safety test, Cl. 12.3.3	Test set up as per Cl. 12.3.3

The above list is indicative only and may not be treated as exhaustive.

ANNEX- D**Scheme of Inspection and Testing****1. QUALITY ASSURANCE PLAN**

1.1 It is expected that during operation of BIS licence, manufacturers will implement a Quality Assurance Plan (QAP) i.e. a plan of regular testing and in-process controls, designed to ensure that the product bearing the Standard Mark conforms to all requirements of the Indian Standard.

1.2 The manufacturers shall define a Quality Assurance Plan (QAP) defining the control unit (i.e. lot/batch etc.), the levels of control (i.e. the frequency and number of samples for conducting the different tests as per the Indian Standard) and declare the arrangement for testing i.e. whether in-house or subcontracting/sharing for each applicable test and submit the same to BIS Branch Office for information. The manufacturer shall comply with the QAP and maintain test records in accordance with para 2.1.

1.3 RECOMMENDED LEVELS OF CONTROL/CONTROL UNIT:

1.3.1 For the guidance of manufacturers, the recommended definition of Control Unit is the quantity of the wire rope slings and sling legs of same type, sling features, method of splicing, number of legs and safe working load, manufactured from same construction and grade of rope, from the same consignment of wire ropes and other used components under identical condition of production in a day.

1.3.2 For the guidance of manufacturers in preparing the Quality Assurance Plan, recommended levels of control are given in **Table 1A, Table 1B, and Table 1C (as applicable to the manufacturer)**. Except for Production Routine tests (as per Cl. 12.2), Manufacturer has the discretion of declaring their own levels of control or accept the levels of control given in this document. For production routine tests as per Cl. 12.2, manufacturer shall follow the levels of control as specified in respective Tables. Please also refer to **Annex G**

1.3.3 The manufacturer shall ensure inspection and testing as per the Quality Assurance Plan submitted by them on the whole production of the factory which is covered by this plan.

2. ENSURING COMPLIANCE THROUGH TESTING- Manufacturers shall ensure compliance of their products to all the requirements of the Indian Standard for which they may have in-house test facilities. However, there is no obligation to maintain in-house laboratory, except for production routine tests as per Cl. 12.2 of IS 8148 for which the manufacturers shall have in-house test facilities. Licensee may use alternative arrangements for other tests as per the declared QAP. Various alternatives are available for operation of BIS certification as given below and the relevant guidelines for availing such relaxations by the manufacturers, as amended from time to time, are to be referred:

- i) Shared testing resources like common facility,
- ii) Cluster based testing facility,
- iii) Sub-contracting to outside laboratories which may either be:
 - a) BIS recognised/empanelled laboratories, or
 - b) Any accredited laboratory as per ISO/IEC 17025

2.1 TEST RECORDS- The manufacturers shall maintain test records for the tests carried out (either in-house or at a sub-contracted or at shared test facility) to establish conformity of the product to the Standard for operation of licence. For the tests being subcontracted or conducted at a shared test facility, test results issued by the laboratories or test facilities, shall be made available for inspection by BIS.

3. LABELLING AND MARKING – As per the requirement of IS 8148: 2018. Please also refer to *Annex G*.

3.1 Additional Marking requirements: Additionally, the following shall also be marked on product or package :

- a) “For BIS certification details please visit www.bis.gov.in”

4. REJECTION - The production which conforms to the Indian Standard and covered under the scope of this licence shall be marked with the Standard Mark. Disposal of non-conforming product shall be done in such a way so as to ensure that there is no violation of provisions of BIS Act,2016

TABLE 1A**(IDU Only)**

(1)				(2)		
Test Details				Levels of Control		
Cl.	Requirement	Test Method		No. of Sample	Frequency	Remarks
		Clause	Reference			
4	CONSTRUCTION					
4.1 to 4.14	Construction	4.1 to 4.14 3	IS 8148 IS 101 (Part6/Sec1)			Adequate random Inspection as per Internal Quality Assurance Plan of the Licensee. For other materials as applicable for the manufacturing of IDU , conformity shall be established as per Internal Quality Assurance Plan of the licensee and no further testing is required if received with a test certificate or is ISI Marked.
12.2	Production Routine Test			Each IDU		—
12.2.1	Running Test	12.2.1	IS 8148			
12.2.2	Pressure Test or Leakage Test	12.2.2	IS 8148			—
12.2.4	Electric Strength Test	12.2.4 Annex A-2	IS 8148 IS 302 (Part 1)			—
12.2.6	Earth Continuity Test	12.2.6, Annex A-1	IS 8148 IS 302 (Part 1)			—
12.4	Acceptance Tests	12.4	IS 8148	As agreed to between manufacturer and purchaser.		

TABLE 1B**(ODU Only)**

(1)				(2)		
Test Details				Levels of Control		
Cl.	Requirement	Test Method		No. of Sample	Frequency	Remarks
		Clause	Reference			
4	CONSTRUCTION					
4.1 to 4.14	Construction	4.1 to 4.14 3	IS 8148 IS 101 (Part6/Sec1)	Adequate random Inspection as per Internal Quality Assurance Plan of the Licensee. For other materials as applicable for the manufacturing of ODU , conformity shall be established as per Internal Quality Assurance Plan of the licensee and no further testing is required if received with a test certificate or is ISI Marked.		
12.2	Production Routine Test					
12.2.1	Running Test	12.2.1	IS 8148	Each ODU		
12.2.2	Pressure Test or Leakage Test	12.2.2	IS 8148			—
12.2.4	Electric Strength Test	12.2.4 Annex A-2	IS 8148 IS 302 (Part 1)			—
12.2.6	Earth Continuity Test	12.2.6, Annex A-1	IS 8148 IS 302 (Part 1)			—
12.4	Acceptance Tests	12.4	IS 8148	As agreed to between manufacturer and purchaser.		

TABLE 1C**(Ducted/Package Air Conditioner)**

(1)				(3)		
Test Details				Levels of Control		
Cl.	Requirement	Test Method		No. of Sample	Frequency	Remarks
		Clause	Reference			
4	CONSTRUCTION					
4.1 to 4.14	Construction	4.1 to 4.14 3	IS 8148 IS 101 (Part6/Sec1)	Adequate random Inspection as per Internal Quality Assurance Plan of the Licensee. For other materials as applicable for the manufacturing of ODU , conformity shall be established as per Internal Quality Assurance Plan of the licensee and no further testing is required if received with a test certificate or is ISI Marked.		
5, 8, 9, 11, 12.3	RATING REQUIREMENTS, PERFORMANCE REQUIREMENTS, TYPE TESTS					
12.3.3	SAFETY TESTS					
	Leakage current at operating temperature	13	IS 302 (Part 1)	One	At the time of design approval or whenever there is change in design (also refer Note 1)	
	Electric Strength at operating temperature	13	IS 302 (Part 1)			
	Provision for earthing	27	IS 302 (Part 1)			
	Functional test	Type test as per IS 302-1		One	At the time of design approval or whenever there is change in design (also refer Note 1)	
8.1 12.3.1	Capacity rating test	8.1	IS 8148	One	Once in two years for each type and rating. (also refer Note 1)	

8.3	Maximum cooling conditions test	8.3	IS 8148	One	Once in two years for each type and rating. (also refer Note 1)
8.4 12.3.1	Freeze Up Test	8.4	IS 8148	One	Once in a year or whenever there is a change in design, whichever is earlier. (also refer Note 1)
8.5 12.3.1	Drip test	8.5	IS 8148	One	
8.6 12.3.1	Enclosure Sweat Test	8.6	IS 8148	One	
8.7 12.3.1	Condensate Disposal Test	8.7	IS 8148	One	Once in two years for each rating(also refer Note 1).
8.8 12.3.1	Power Consumption Test	8.8	IS 8148	One	Once in two years for each rating (also refer Note 1).
11	Sound Test	11	IS 8148	One	Once in two years for each type (also refer Note 1).
9.1	Heating Capacity Test	10.12	IS 8148	One	Once in two years for each type and rating (also refer Note 1).
9.2	Maximum Heating Performance Test	9.2	IS 8148	One	Once in two years for each type and rating (also refer Note 1).
9.3	Automatic Defrost Performance test	9.3	IS 8148	One	Once in two years for each type and rating (also refer Note 1).
12.3.1	Room discharge airflow rating test	Annex C	IS 8148	One	Once in two years for each type and rating (also refer Note 1).
12.2	<i>Production Routine Test</i>				—
12.2.1	Running Test	12.2.1	IS 8148	Each IDU/ Each ODU	
12.2.2	Pressure Test or Leakage Test	12.2.2	IS 8148	Each IDU/ Each ODU	
12.2.4	Electric Strength Test	12.2.4 Annex A-2	IS 8148 IS 302 (Part 1)	Each IDU/ Each ODU	

12.2.6	Earth Continuity Test	12.2.6, Annex A-1	IS 8148 IS 302 (Part 1)	Each IDU/ Each ODU	
12.4	<i>Acceptance Tests</i>	12.4	IS 8148	As agreed to between manufacturer and purchaser.	

Note- 1: The test shall be done whenever there is a change in design or change in the supplier of either IDU or ODU for outsourced units.

.

ANNEX – E

Possible tests in a day

(a) Manufacturer of IDU only

- i) Running Test (Cl. 12.2.1)
- ii) Pressure Test or Leakage Test (Cl. 12.2.2)
- iii) Electric Strength (Cl. 12.2.4)
- iv) Earth Continuity Test (Cl. 12.2.6)

(b) Manufacturer of ODU only

- i) Running Test (Cl. 12.2.1)
- ii) Pressure Test or Leakage Test (Cl. 12.2.2)
- iii) Electric Strength (Cl. 12.2.4)
- iv) Earth Continuity Test (Cl. 12.2.6)

(c) Manufacturer of Ducted/Package AC

- i) Running Test (Cl. 12.2.1)
- ii) Pressure Test or Leakage Test (Cl. 12.2.2)
- iii) Electric Strength (Cl. 12.2.4)
- iv) Earth Continuity Test (Cl. 12.2.6)
- v) Maximum Operating Conditions test (Cl. 8.3)
- vi) Enclosure Sweat test (Cl. 8.6)

ANNEX F**Scope of Licence**

“Licence is granted to use Standard Mark as per IS 8148: 2018 with the following scope:

Name of the product	Please refer to <i>Annex G</i>
Classification based on function	
Cooling Capacity (up to and including)	

ANNEX - G**Guidelines for Certification of Ducted/Package Air Conditioner (AC) having Indoor Unit (IDU) and Outdoor Unit (ODU)**

1. This has reference to the Certification of Ducted and Package Air Conditioner (AC) having Indoor Unit (IDU) and Outdoor Unit (ODU) as per IS 8148.
2. As per Para 1 (i) of Scheme-I of Schedule- II of the BIS (Conformity Assessment) Regulations, 2018, a license can be granted by Bureau for products manufactured in a manufacturing premises. Further, as per Para 3 (1) (a) (ii) of Scheme-I of Schedule- II of these Regulations, a part of the manufacturing activity may be outsourced.
3. The following are the possible scenario in the manufacturing of Ducted/Package Air Conditioner having Indoor Unit (IDU) and Outdoor Unit (ODU) :
 - (A) In-house manufacturing of IDU only.
 - (B) In-house manufacturing of ODU only.
 - (C) In-house manufacturing of both IDU and ODU and selling as individual units only **or** In-house manufacturing of both IDU and ODU and selling as individual units as well as complete Ducted/Package AC.
 - (D) In-house manufacturing of IDU and Outsourcing of ODU (i.e purchasing of ODU either from domestic or foreign manufacturer) and selling as complete Ducted/Package AC **or** In-house manufacturing of ODU and Outsourcing of IDU (i.e purchasing of IDU either from domestic or foreign manufacturer) and selling as complete Ducted/Package AC.
 - (E) Outsourcing of both IDU and ODU (i.e purchasing of both IDU and ODU either from domestic or foreign manufacturer).
4. (i) The manufacturer who intends to obtain BIS Certification Licence for Ducted/Package AC as per IS 8148 shall normally have complete in-house manufacturing facility. However, considering the possible manufacturing scenario of Ducted/Package AC Industry, **outsourcing of part of the manufacturing activity may be permitted to the extent of one of the units only (i.e either IDU or ODU only) for certification of Ducted/Package AC as per IS 8148.**
 - (ii) **Under any circumstances, purchasing of both the units (i.e ISI marked IDU as well as ISI marked ODU) shall not be permitted for the certification of Ducted/Package AC.**
 - (iii) **For obtaining BIS licence, at least one of the units (i.e. either IDU or ODU) shall be manufactured in-house. In other words, persons who are not having in-house manufacturing facilities either for IDU or for ODU shall not be eligible for obtaining BIS licence.**
5. Accordingly, the guidelines given below shall be followed for Certification of Air Conditioners as per IS 8148:

(A) Manufacturer of only IDU (in-house)

- i) Every manufacturer who is carrying out in-house manufacturing of only IDU shall obtain licence from BIS for the product type **Indoor Unit** as per IS 8148. In such cases, the scope of BIS licence will be **“Indoor Unit Only”**.
- ii) The manufacturer shall have complete in-house testing facility for all the **Production Routine tests** for IDU as per IS 8148 and shall carry out due testing of IDU as per the Scheme of Inspection and Testing (SIT) and maintain records.
- iii) Upon obtaining BIS licence, the licensee shall ensure that all the information as per IS 8148 as well as the SIT are marked on each IDU only after due testing of IDU as per the SIT.
- iv) Each IDU shall be marked with the BIS Standard Mark as given below and the **responsibility of the Quality of ISI marked IDU shall vest with the IDU licensee:**



- v) **(a) The IDU manufacturer shall sell ISI marked IDU to those manufacturers only who holds BIS licence for the complete product Ducted/Package AC (i.e Licensee at item ‘5D’ or even to licensee at item ‘5C’).**

(b) An undertaking shall be furnished by the IDU manufacturer to BIS to the effect that the ISI marked IDU will be sold to BIS licensees for the complete product Ducted/Package AC only.

(c) However, the actual physical supply of the ISI marked IDU may be to any place other than the licenced premises of the Ducted/Package AC manufacturer also. The details of all such supplies shall be maintained by the IDU licensee and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from the IDU manufacturer.

(B) Manufacturer of only ODU (in-house)

- i) Every manufacturer who is carrying out in-house manufacturing of only ODU shall obtain licence from BIS for the product type **Outdoor Unit** as per IS 8148. In such cases, the scope of BIS licence will be **“Outdoor Unit Only”**.
- ii) The manufacturer shall have complete in-house testing facility for all the **Production Routine tests** for ODU as per IS 8148 and shall carry out due testing of ODU as per the Scheme of Inspection and Testing (SIT) and maintain records.

- iii) Upon obtaining BIS licence, the licensee shall ensure that all the information as per IS 8148 as well as the SIT are marked on each ODU only after due testing of ODU as per the SIT.
- iv) Each ODU shall be marked with the BIS Standard Mark as given below and the **responsibility of the Quality of ISI marked ODU shall vest with the ODU licensee:**

IS 8148



Outdoor Unit only

CM/L - YYYYYYYYYY

- v) **(a) The ODU manufacturer shall sell ISI marked ODU to those manufacturers only who holds BIS licence for the complete product Ducted/Package AC (i.e Licensee at item '5D' or even to licensee at item '5C').**

(b) An undertaking shall be furnished by the ODU manufacturer to BIS to the effect that the ISI marked ODU will be sold to BIS licensees for the complete product Ducted/Package AC only.


(c) However, the actual physical supply of the ISI marked ODU may be to any place other than the licenced premises of the Ducted/Package AC manufacturer also. The details of all such supplies shall be maintained by the ODU licensee and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from the ODU manufacturer.

(C) Manufacturer of both IDU and ODU (both in-house)

- i) (a) Every manufacturer who is carrying out in-house manufacturing of both IDU and ODU shall obtain licence from BIS for the product types **Indoor Unit** and **Outdoor Unit** as per IS 8148. In such cases, the scope of BIS licence will be **“Indoor Unit Only”** and **“Outdoor Unit Only”**.
(b) However, if the manufacturer intends to manufacture the complete product Ducted/Package AC also in the same premises, the scope of BIS licence will include **“Ducted/Package AC”** also.
- ii) (a) The manufacturer shall have complete in-house testing facility for all the **Production Routine tests** for IDU as well as ODU as per IS 8148 and shall carry out due testing of IDU and ODU as per the Scheme of Inspection and Testing (SIT) and maintain records.
(b) **In addition, the manufacturer who has taken licence for the complete product Ducted/Package AC shall also comply with the provisions of the SIT w.r.t testing of the complete product Ducted/Package AC and maintain records.**
- iii) Upon obtaining BIS licence, the licensee shall ensure that all the information as per IS 8148 as well as the SIT are marked on each IDU and each ODU as well as the

complete product Ducted/Package AC (as applicable) only after due testing of IDU, ODU and the complete product Ducted/Package AC (as applicable) as per the SIT.

- iv) (a) Each IDU and each ODU intended to be sold as individual unit only shall be marked with the BIS Standard Mark as given below and the **responsibility of the Quality of ISI marked IDU and ISI marked ODU shall vest with the licensee:**



- (b) Each IDU and each ODU used for the manufacturing of the complete product Ducted/Package AC shall be marked with the BIS Standard Mark as given below and the **responsibility of the Quality of ISI marked Ducted/Package AC shall vest with the Ducted/Package AC licensee:**



- v) (a) **The manufacturer shall sell ISI marked IDU or ISI marked ODU to those manufacturers only who holds BIS licence for the complete product Ducted/Package AC (i.e Licensee at item '5D' or even to any other licensee at item '5C').**

(b) An undertaking shall be furnished by the manufacturer to BIS to the effect that the ISI marked IDU or ISI marked ODU will be sold to BIS licensees for the complete product "Ducted/Package AC" only.

(c) However, the actual physical supply of such ISI marked IDU or ISI marked ODU may be to any place other than the licensed premises of the Ducted/Package AC manufacturer also. The details of all such supplies shall be maintained by this licensee who is making such supplies and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from this manufacturer.

- vi) (a) **However, due to any reason, if the Ducted/Package AC licensee intends to purchase any of the units (i.e either ISI marked IDU or ISI marked ODU) from any other manufacturer, it shall be purchased from BIS licensees only (i.e. Licensee at item '5A' or '5B' or '5D' or even from any other licensee at item '5C').**

(b) An undertaking shall be furnished by the Ducted/Package AC manufacturer to BIS to the effect that the ISI marked IDU or ISI marked ODU (as the case may be) will be purchased from BIS licensees only.

(c) However, the actual physical receipt of such ISI marked IDU or ISI marked ODU may be at any place other than the licenced premises of this Ducted/Package AC manufacturer also. The details of all such receipts shall be maintained by this Ducted/Package AC licensee and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from this Ducted/Package AC manufacturer.

(d) In such cases where one of the units (i.e either ISI marked IDU or ISI marked ODU, as the case may be) is purchased from BIS licensee, the Standard Mark as given below shall be used on the other unit manufactured in-house (i.e ODU or IDU, as the case may be):



(e) Under any circumstances, purchasing of both the units (i.e ISI marked IDU as well as ISI marked ODU) shall not be permitted for the manufacturing of same Ducted/Package AC. In other words, at least one of the units (ie. either IDU or ODU) used in the manufacturing of same Ducted/Package AC shall be manufactured in-house.

(D) Manufacturer of Ducted/Package AC (where one of the units i.e IDU or ODU is manufactured in-house and the other unit i.e ODU or IDU is purchased from outside)

- i) Every Ducted/Package AC manufacturer who is carrying out in-house manufacturing of one of the units (i.e either IDU or ODU) and intends to purchase the other unit (i.e ODU or IDU, as the case may be) from any other manufacturer shall obtain licence from BIS for the complete product **Ducted/Package AC** as per IS 8148. In such cases, the scope of BIS licence will be “Indoor Unit Only” and “Ducted/Package AC” or “Outdoor Unit Only” and “Ducted/Package AC”, as the case may be.
- ii) The manufacturer shall have complete in-house testing facility for all the **Production Routine tests** for the unit which is manufactured in-house (i.e either IDU or ODU, as the case may be) as per IS 8148 and shall carry out due testing of IDU or ODU (as applicable) as per the Scheme of Inspection and Testing (SIT) and maintain records. **In addition, the licensee shall also comply with the provisions of the SIT w.r.t testing of the complete product Ducted/Package AC and maintain records.**

- iii) Upon obtaining BIS licence, the licensee shall ensure that all the information as per IS 8148 as well as the SIT are marked on each IDU or each ODU (as applicable) as well as the complete product Ducted/Package AC only after due testing of IDU or ODU (as applicable) and the complete product Ducted/Package AC as per the SIT.
- iv) Each IDU or each ODU (as the case may be) manufactured in-house and used for the complete product Ducted/Package AC shall be marked with the BIS Standard Mark as given below and **the responsibility of the Quality of ISI marked Ducted/Package AC shall vest with this Ducted/Package AC licensee:**


IS 8148



CM/L – QQQQQQQQQQ

- v) (a) **The Ducted/Package AC manufacturer shall purchase ISI marked IDU or ISI marked ODU (as the case may be) from BIS licensee only (*i.e. Licensee at item ‘5A’ or ‘5B’ or ‘5C’ or even from any other licensee at item ‘5D’*).**
 - (b) An undertaking shall be furnished by this Ducted/Package AC manufacturer to BIS to the effect that the ISI marked IDU or ISI marked ODU (as the case may be) will be purchased from BIS licensees only.
 - (c) However, the actual physical receipt of such ISI marked IDU or ISI marked ODU may be at any place other than the licenced premises of this Ducted/Package AC manufacturer also. The details of all such receipts shall be maintained by this Ducted/Package AC licensee and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from this Ducted/Package AC manufacturer.
- vi) (a) **In case the licensee intends to sell ISI marked IDU or ISI marked ODU (as the case may be) manufactured in-house to any other manufacturer, it shall be sold to those manufacturers only who hold BIS licence for the complete product Ducted/Package AC (*i.e Licensee at item ‘5C’ or even to any other licensee at item ‘5D’*).**
 - (b) An undertaking shall be furnished by the Ducted/Package AC manufacturer to BIS to the effect that the ISI marked IDU or ISI marked ODU (as the case may be) will be sold to BIS licensees for the complete product Ducted/Package AC only.
 - (c) However, the actual physical supply of such ISI marked IDU or ISI marked ODU (as the case may be) may be to any place other than the licensed premises of the other Ducted/Package AC licensee also. The details of all such supplies shall be maintained by this Ducted/Package AC licensee who is making such supplies and shall be produced to BIS on demand. An undertaking in this respect shall be obtained from this Ducted/Package AC manufacturer.

(d) In such cases where ISI marked IDU or ISI marked ODU (as the case may be) is sold to any other manufacturer, the Standard Mark as given below shall be used on IDU or ODU (as the case may be):



(E) Outsourcing of both the units (i.e IDU and ODU)

- i) For obtaining BIS licence for certification of Ducted/Package AC as per IS 8148, outsourcing of both the units (i.e IDU and ODU) shall not be permitted under any circumstances (Please see item 4 also).